brother
at your side

# Improving patient safety

**Keep healthcare operations efficient and accurate with Brother label and thermal labelling solutions.**

**brother.co.uk/healthcare**

Brother has designed the perfect machines for the healthcare market.

# You're in safe hands with Brother

## 'At your side' for over 25 years

With longstanding roots in healthcare and over 25 years experience, Brother helps hospitals, community care workers and pharmacies with reliable, value for money print technology.

Brother understands the challenges and posseses the "know-how" to come up with innovative ways of helping healthcare professionals to be efficient, without sacrificing the quality of their work and processes.

Brother products optimise the workflow of healthcare professionals, as every minute front line staff spend getting the printer to work is a minute they can't spend on improving patient care.

From the day it's delivered to the day it's taken away for recycling, every Brother product uses as little energy, paper and resources as possible.

## Putting patient safety first

It is essential for healthcare professionals to be mobile, efficient and most importantly faultless in their work. A demanding job requires technology that is up to the challenge.

Brother has designed a range of portable and desktop label and receipt printers that are bespoke to the needs of healthcare professionals. The printers ensure ease of use, compatibility and true portability.

They have the performance, features and media capacity of desktop printers, but with the option to go completely mobile thanks to their compact footprint, wireless functionality and Li-ion battery.

To ensure complete compatibility and ease of use, Brother works in close partnership with leading healthcare software providers to ensure our printers integrate seamlessly with patient management systems and a wide range of host devices.

*Source: https://www.manchester.ac.uk/discover/news/more-than-200-million-medication-errors-occur-in-nhs-per-year-say-researchers/




## Admissions

Paramedics and admissions staff are under extreme pressure to ensure the safety of their patients. It is critical that their workflow is efficient and delivers 100% accuracy, so patients are given the correct treatment by doctors on arrival at hospital. Brother mobile thermal print solutions are the perfect fit for paramedics, helping to streamline workflows and improve patient care.

## Clinical care and laboratory

It is critical for hospitals to be equipped with the best technology on the market. Working alongside these devices, doctors, nurses and laboratory technicians have patients' lives depending on their care. In this environment, each device must be able to integrate, adapt and improve workflows that are put in place to ensure the highest level of patient safety.



## Pharmacy

Pharmacists need an efficient workflow to deliver patient prescriptions quickly and accurately. Brother label and thermal solutions offer seamless integration into existing systems and reduce the risk of illegible handwritten labels, which could lead to serious consequences if medication is wrongly prescribed.

## Home healthcare

Home healthcare professionals on the move need the ability to produce documentation on location so patients can be left with details of their care plan and a record of medication for treatment. Desktop and mobile thermal technology improves efficiency and reduces the risk of errors, improving patient safety.



# Benefits of label and thermal print solutions

### Fast and easy to use
Just drop in a roll or load paper and print.

### Clinical efficiency
Print A4 documents on the move. Also print labels and wristbands – whatever the location.

### Fully customisable
A wide range of accessories and print media to customise to your needs.

### Complete portability
Administer care and apply labels where it's needed most.

### Improves patient safety
Provide accurate information at the point of care to help reduce errors and enhance clinical efficiency.

### Superior quality and performance
Produce GS1 standard barcodes to help improve visibility and efficiency through the supply chain.

## Healthcare applications



# Admissions

When entering the hospital, it is crucial that patient records are organised efficiently. Ambulance staff print out patient records and hand them to on-site administrators who ensure the records are updated and passed on to caregivers. Positive patient identification means the correct treatment is administered.

## Patient record printing

Ambulance staff can print out patient records and hand them to on-site administrators who ensure the records are updated and passed onto caregivers. Produce GS1 standard barcodes to help improve visibility and efficiency through the supply chain.

**Printing requirement:** A4/A5
**Machine:** PJ-700 series

## Wristband printing

Patients admitted to the hospital as outpatients or via A&E are fitted with a wristband at reception to ensure they are correctly identified by every department.

**Printing requirement:** Wristband
**Machine:** TD-2000 series

## Patient file labelling

Labels applied to a patient's file can be kept up to date and accurate, reducing the risk of errors in identification.

**Printing requirement:** Up to 4 inch
**Machine:** TD series / RJ series



# Clinical care

It is important for patients to be correctly identified at the bedside to ensure the right treatment is provided. Additional essential patient medical information can be digitised into a barcode on the wristband.

## Wristband printing

Professional wristband printing helps ensure accuracy of patient identification, therefore preventing mistakes due to identification errors. The ability to do this at the bedside further reduces the risk of error and improves efficiency.

**Printing requirement:** Wristband
**Machine:** TD-2000 series

## Blood bag labelling

Accurate blood bag labels ensure that information is correctly transferred during procedures. High quality 4 inch printed labels containing all relevant patient details reduce the risk of errors occurring.

**Printing requirement:** Up to 4 inch
**Machine:** TD4 series / RJ series

> “Not having a labelling solution is a big problem during the patient identification process.”

# Laboratory

If a patient requires a sample testing, it is crucial that errors are not made during the laboratory process. An inaccurately labelled sample can lead to further problems, resulting in an incorrect diagnosis and potentially harmful treatment.

## Blood sample labelling

After scanning a patient's wristband for positive ID, a blood sample label can be created and printed immediately to place on the sample tube.

**Printing requirement:** Up to 2 inch
**Machine:** TD-2000 series

## Specimen sample

Patient information can be scanned from their wristband and used to create accurate specimen sample labels up to 4 inches wide, all at the point of care.

**Printing requirement:** Up to 4 inch
**Machine:** TD-2000 / TD-4D series

> “If we didn’t have labels anymore the laboratory would stand still.”

# Pharmacy

It is important for pharmacists to have an efficient labelling solution which integrates seamlessly, reducing the risk of incorrect medication being prescribed. The portability of Brother devices enables a smoother workflow for the user.

## Medication labelling

When a patient prescription is received electronically to a computer, labels up to 4 inches wide can be created and printed for application to the medication packaging.

**Printing requirement:** Up to 4 inch
**Machine:** TD-2000 / TD-4D series

## Prescription bag labelling

Pharmacists can print up to 4 inch to apply to prescription bags and take advantage of the seamless integration with healthcare systems.

**Printing requirement:** Up to 4 inch
**Machine:** TD-2000 / TD-4D series

> “Without a labelling solution the process would be delayed, which causes frustration for the patient.”

# Home healthcare

Some patients who are elderly or with limited mobility will be visited by a healthcare professional. In this instance, it is necessary to leave documentation of a patient's record or care plan.

## Patient care plan

Careworkers visiting patients can leave an updated care plan to ensure they know what steps to follow in their treatment.

**Printing requirement:** A4
**Machine:** PJ-700 series

brother
Smith John
01/01/80
NHS no: 2513323223
M
TD-2120N

# TD-2000 series

## Up to 2 inch desktop thermal printers

Unlike standard direct thermal printers the TD-2000 series offers the performance features and media capacity of a desktop printer, but with the option to go completely portable.

**Spindle-less design for easy drop in roll**
Simply drop in larger diameter rolls meaning less downtime for caregivers.

**Prints both wristbands and labels**
Fast, reliable and accurate face-up printing from one device to optimise patient identification processes.

**Compact footprint**
Fits easily on hospital carts or crowded desktops.

**Optional Wi-Fi and Bluetooth connectivity***
Hassle-free communication with a wide variety of mobile devices.

**Wired ethernet and USB as standard***
Easily connect to multiple devices using the integrated wired ethernet which enables operational efficiency within the hospital.

**Portable long life Li-ion battery***
Go completely portable to offer care where it's needed most. Also meaning expensive and cumbersome powered carts are not necessary.

*Not available on TD-2020

# TD-2000 series
## brief summary

| | TD-2020 | TD-2120N | TD-2130N |
|---|---|---|---|
| | 2 Inch | | |
| **Printing** | | | |
| Print technology | Direct thermal | | |
| Print speed | 152mm/sec | | |
| Resolution | 203dpi | | 300dpi |
| Max. print width | 56mm | | |
| Min. print length | 6mm | | |
| Max. print length | 1000m | | |
| Media sensor type | Gap (transmissive), Bar (reflective) | | |
| Media sensor location | Gap (fixed), Reflective (adjustable) | | |
| Tear off release mode | ✔ | ✔ | ✔ |
| **Connectivity** | | | |
| USB | ✔ | ✔ | ✔ |
| Serial | ✔ | ✔ | ✔ |
| Wired LAN | | ✔ | ✔ |
| USB Host Port | | ✔ | ✔ |
| Bluetooth | | ✔ | ✔ |
| Wireless LAN | | ✔ | ✔ |
| **General** | | | |
| Dimensions (mm) | 110 (w) x 215 (d) x 172 (h) | | |
| Weight | 1.32kg | 1.34kg | |
| Control panel | 3 button 2 LED | | |
| LCD | | ✔ | ✔ |
| Operating system support | Windows XP/Vista 7/8/10, Linux | Windows XP/ Vista 7/8/10<br>Windows Server 2008/2008R2<br>Windows Server 2012/2012R2, Linux | |
| Supported commands | P-touch template, ESC/P, Raster, ZPL II emulation | | |

# TD-2000 series
accessories and consumable supplies

## Power and additional options

### PA-WI-001
**Wi-Fi WLAN interface**
TD-2120N
TD-2130N

### PA-BI-001
**Bluetooth interface**
TD-2120N
TD-2130N

### PA-SCA-001
**Serial adapter**
TD-2020
TD-2120N
TD-2130N

### PA-TDU-001
**Touch panel display**
TD-2120N
TD-2130N

### PA-BB-001
**Battery charging unit***
TD-2120N
TD-2130N

*Requires PA-BT-4000LI

### PA-BT-4000LI
**Li-ion rechargeable battery***
TD-2120N
TD-2130N

*Requires PA-BB-001

### PA-LP-001
**Label peeler***
TD-2120N
TD-2130N

## Consumables

### RD-S05E1
**Die-cut labels roll**
**Label size:**
51mm x 26mm
**Quantity:**
1,552 per roll
**Colour:** white

**Complete TD series**



### RD-S07E5
**Continuous receipt roll**
**Size:** 58mm x 86m
**Colour:** white

**Complete TD series**

## Wristband

| Product code | Description | Size (cm) | Qty. wristbands |
|---|---|---|---|
| 8100-11-PDK | CompuBand® adult wristband direct thermal, clasp closure, white. | 29.2 x 2.9 | 150 |
| 8101-11-PDK | CompuBand® adult/pediatric wristband direct thermal, clasp closure, white. | 29.2 x 1.9 | 150 |
| 8102-11-PDK | Conf-Ident® pedriatric wristband, direct thermal, clasp closure, white | 26.6 x 2.5 | 150 |
| 8150-11-PDL | ScanBand® adult wristband direct thermal, adhesive closure, white. | 29.2 x 2.5 | 200 |
| 8151-11-PDL | ScanBand® adult/pediatric wristband adhesive closure, white. | 29.2 x 1.9 | 200 |
| 8185-11-PDL | Precision® infant wristband adhesive closure, white. | 20.3 x 2.9 | 200 |
| 8195-11-PDO | TenderCare® Mother-infant wristband set, adhesive closure, white. | 20.3 x 2.9 | 120 |

## Label

| Product code | Description | | |
|---|---|---|---|
| 8100-11-PDK | CompuBand® adult wristband direct thermal, clasp closure, white. | 29.2 x 2.9 | 150 |
| 8101-11-PDK | CompuBand® adult/pediatric wristband direct thermal, clasp closure, white. | 29.2 x 1.9 | 150 |
| 8102-11-PDK | Conf-Ident® pedriatric wristband, direct thermal, clasp closure, white | 26.6 x 2.5 | 150 |
| 8150-11-PDL | ScanBand® adult wristband direct thermal, adhesive closure, white. | 29.2 x 2.5 | 200 |
| 8151-11-PDL | ScanBand® adult/pediatric wristband adhesive closure, white. | 29.2 x 1.9 | 200 |
| 8185-11-PDL | Precision® infant wristband adhesive closure, white. | 20.3 x 2.9 | 200 |

*Not compatible with TD-2130NHC

AB
RH NEGATIVE

brother
TD-4D
PATIENT NAME: Mrs Tracy D Brother
D.O.B: 17/03/1985
Gender: Female
PATIENT NUMBER: 765 432 123
Date of Admission: 05/02/2019

BLOOD SAMPLE
BOTTLES

LABEL PRINTERS
TD-4D
0190217
UP
LABEL PRINTERS
TD-4D
0190217
UP
LABEL PRINTERS
TD-4D
0190217
UP

brother

A UK government commissioned study has revealed that an estimated 237 million medication errors occur in the NHS in England every year, and avoidable adverse drug reactions (ADRs) cause hundreds of deaths.

*http://www.eepru.org.uk/prevalence-and-economic-burden-of-medication-errors-in-the-nhs-in-england-2/*



In 2018 a hospital in Kenya hit the headlines when a man underwent brain surgery that had been planned for another patient – the error was blamed on a mix-up of identification tags. Fortunately both patients recovered, but four members of hospital staff were suspended prompting an investigation into how the fault could have happened.

*https://www.bbc.co.uk/news/world-africa-43255648*

17% of mistakes in blood administration in Germany over a four-year period were down to patient identification errors, leading in the worst cases to patients receiving the wrong blood transfusions.

*https://www.karger.com/Article/PDF/453320*



# TD-4D series

## Up to 4 inch desktop direct thermal printers

High specification, high speed label printers for healthcare professionals. Includes: barcode label design software, optional cutters and networking available on selected models.

**Powerful P-touch Editor**
Free label design software helps healthcare professionals edit and amend labels at the point of care.

**Simple to operate**
Easy to use which enhances clinical efficiency.

**Easy set up**
Auto media configuration.

**Seamless integration**
Print from a variety of healthcare management systems

**Speed and efficiency**
Fast print speeds of up to 8ips increases productivity for caregivers.

**Media capacity**
Accepts up to 4” / 102 mm wide labels.

# TD-4T series

## Up to 4 inch desktop thermal transfer printers

Brother's 4 inch thermal transfer label printers bring you improved operational efficiency with impressive ribbon capacity. Combined with seamless integration and modular design, print from virtually anywhere in the workplace.

**Durable print technology**
Printable with wax, wax/resin and resin ribbon.

**Seamless integration**
Print from a variety of healthcare management systems.

**Printer command support**
Supports FBPL-EZD (EPL, ZPL, ZPLII, DPL) emulation.

**Less worker downtime**
Maximum ribbon length of 300m.

**Speed and efficiency**
Fast print speeds of up to 6ips.

**Customisable**
Optional peeler, full/partial cutter and external roll holder.

# TD4 series
## brief summary

| | TD-4410D | TD-4420DN | TD-4520DN | TD-4550DNWB | TD-4420TN | TD-4520TN |
|---|---|---|---|---|---|---|
| | 4 Inch | | | | | |
| **Printing** | | | | | | |
| Print technology | Direct thermal | | | | Thermal transfer/ direct thermal | |
| Print speed | 203mm/sec | | | 152mm/sec | 152mm/sec | 105mm/sec |
| Resolution | 203dpi | | | 300dpi | 203dpi | 300dpi |
| Max. print width | 104.1mm | | | 108.4mm | 108mm | 105.7mm |
| Min. print length | Continuous: 6.4mm, peeler: 12.7mm, Cutter: 20mm, tear: 27mm | | | | Peeler: 25.4.mm, cutter: 25.4mm tear: 50mm | |
| Max. print length | 3000mm | | | | 25,400mm | 11,430mm |
| Media sensor type | Gap (transmissive), bar (reflective) | | | | | |
| Media sensor location | Gap (fixed), reflective (adjustable) | | | | | |
| Tear off release mode | Standard: Continuous, tear off Optional: Peeler, cutter | | | | | |
| **Connectivity** | | | | | | |
| USB | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Serial | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Wired LAN | | ✔ | ✔ | ✔ | ✔ | ✔ |
| USB Host Port | | | | ✔ | ✔ | ✔ |
| Bluetooth | | | | ✔ | | |
| Wireless LAN | | | | ✔ | | |
| **General** | | | | | | |
| Dimensions (mm) | 180 (w) x 224 (d) x 155 (h) | | | | 204 (w) x 280 (d) x 177.5(h) | |
| Weight | 2.08kg | | | | 2.5kg | |
| Control panel | 3 button 3 LED | | | 7 button 3 LED | 1 button 1 LED with 3 colours | |
| LCD | ✔ | | | | | |
| Operating system support | Windows 7/8/8.1/10 Linux | | Windows 7/8/8.1/10, Windows Server 2008/2008R2/2012/2012R2/2016 Linux | | Windows 7/8/8.1/10, Windows Server 2008/2008R2/ 2012/2012R2/2016<br><br>OS X 10.10.x,10.11.x macOS 10.12.x, 10.13.x, 10.14.x Linux | |
| Supported commands | P-touch Template, ESC/P, Raster, ZPL II emulation, CPCL emulation | | | | FBPL-EZD (EPL, ZPL, ZPL II, DPL) emulation | |

# TD-4D Accessories
## and consumable supplies

Brother has designed and engineered a wide range of accessories to help customise the solution to meet your specific labelling requirements.

## TD-4D Additional options

### PA-LP-002
**Label peeler**

TD-4410D
TD-4420DN
TD-4520DN
TD-4550DNWB

### PA-CU-001
**Cutter**

TD-4410D
TD-4420DN
TD-4520DN
TD-4550DNWB

### PA-HU2-001
**Thermal print head (203dpi)**

TD-4410D
TD-4420DN

### PA-HU3-001
**Thermal print head (300dpi)**

TD-4520DN
TD-4550DNWB

### PA-PR2-001
**Platen roller (203dpi)**

TD-4410D
TD-4420DN

### PA-PR3-001
**Platen roller (300dpi)**

TD-4520DN
TD-4550DNWB

## TD-4D Consumables

| RD Rolls | Size | Quantity | Colour | Item no |
|---|---|---|---|---|
| Continuous receipt roll | 102mm x 27.7m | n/a | White | RD-M01E5 |
| Continuous receipt roll | 76mm x 35.3m | n/a | White | RD-P08E5 |
| Continuous receipt roll | 58mm x 86m | n/a | White | RD-S07E5 |
| Continuous receipt roll | 58mm x 12m | n/a | White | RD-R03E5 |
| Continuous label roll | 102mm x 44.7m | n/a | White | RD-S01E2 |
| Die cut labels roll | 102mm x 50mm | 843 labels | White | RD-S03E1 |
| Die cut labels roll | 102mm x 152mm | 72 labels | White | RD-M03E1 |
| Die cut labels roll | 102mm x 152mm | 281 labels | White | RD-S02E1 |
| Die cut labels roll | 76mm x 26mm | 1,564 labels | White | RD-S04E1 |
| Die cut labels roll | 76mm x 44mm | 335 labels | White | RD-P09E1 |
| Die cut labels roll | 51mm x 26mm | 1,564 labels | White | RD-S05E1 |
| Die cut labels roll | 51mm x 26mm | 450 labels | White | RD-Q04E1 |

# TD-4T Accessories
## and consumable supplies

Brother accessories help users equip their device to cope with the specific requirements of use.

## TD-4T Additional options

### PA-LP-003
**Label peeler***

TD-4420TN
TD-4520TN

### PA-CU-002
**Full and partial cutter***

TD-4420TN
TD-4520TN

### PA-RH-001
**External roll holder**

TD-4420TN
TD-4520TN

* Dealer option

For additional consumable options please contact your prefered supplier.

# RJ-2000 series

## Up to 2 inch mobile thermal printers

Versatile connectivity for printing labels in the most rugged and demanding environments.



**User flexibility**
Compatible with a wide range of mobile devices and operating systems, making labels easy to produce.

**Easy to use**
Mono LCD and three flat membrane keys.

**Durable**
IP54 rating; drop tested to 2.5m without the need for a case.

**Easy to integrate**
Simple integration into existing applications with free software and free software development kits (SDK).
www.brother.eu/developer

**Customisable**
Power options include rechargeable batteries, AC adapter, vehicle power battery chargers.

**Lightweight**
The lightest device ever, ideal for printing at any location.

# RJ-3000 series

## Up to 3 inch mobile thermal printers

Small and lightweight providing the perfect on person device for mobile workers.

**User flexibility**
Compatible with a wide range of mobile devices and operating systems, including support for Apple AirPrint.*

**Easy to use**
3.3" colour LCD screen for more intuitive printing*

**Durable**
IP54 rating and drop tested; designed to withstand even the harshest of conditions.

**Easy to integrate**
Simple integration into existing applications with free software development kits (SDK).
www.brother.eu/developer

**Customisable**
Power options include rechargeable batteries, AC adapter or vehicle power kits.

**Lightweight**
Ideal for printing on the go at any location in a healthcare environment.

* RJ-3150 only

C.M.F.T Health Record
brother

# RJ-4200 series

## Up to 4 inch mobile thermal printer

Ruggedness and connectivity to empower workers to create and amend labels at any location.

**User flexibility**
Compatible with a wide range of mobile devices and operating systems, including support for Apple AirPrint.*

**Lightweight**
Ideal for carrying on body.

**Easy to use**
Mono LCD screen with back light.

**Customisable**
Options include rechargeable smart battery, AC adapter, vehicle mounting kit and more.

**Durable**
IP54 rating and drop tested up to 2.1m; designed to withstand even the harshest of conditions.

**Easy to integrate**
Simple integration into existing applications with free software development kits (SDK).
www.brother.eu/developer

# RJ series
## brief summary

| | RJ-2030 | RJ-2050 | RJ-2140 | RJ-2150 | RJ-3050 | RJ-3150 | RJ-4230B | RJ-4250WB |
|---|---|---|---|---|---|---|---|---|
| | 2 Inch | | | | 3 Inch | | 4 Inch | |
| **Printing** | | | | | | | | |
| Print technology | Direct thermal | | | | | | | |
| Print speed | 152mm/sec | | | | 127mm/sec | | 127mm/sec* | |
| Resolution | 203dpi | | | | | | | |
| Max print width | 54mm (receipt) | | 54mm (receipt)<br>51mm (labels) | | 72mm | | 104mm | |
| **Media types** | | | | | | | | |
| Receipt | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Labels | | | ✔ | ✔ | | ✔ | ✔ | ✔ |
| **Connectivity** | | | | | | | | |
| USB | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Wireless LAN | | ✔ | ✔ | ✔ | ✔ | ✔ | | ✔ |
| Bluetooth | ✔ | ✔ | | ✔ | ✔ | ✔ | ✔ | ✔ |
| AirPrint | | ✔ | | ✔ | ✔ | ✔ | | ✔ |
| MFI | | ✔ | | ✔ | | | ✔ | ✔ |
| **General** | | | | | | | | |
| IP Rating | IP54 | | | | | | | |
| Drop protection | 2.5m | | | | 1.2m | 1.8m | 2.1m | |
| Weight (with battery) | 465g | | 545g | | 610g | 680g | 850g | |
| Dimensions W, H, D (mm) | 122 (w) x 57 (d) x 99.3 (h) | | 150 (w) x 73 (d) x 99.3 (h) | | 113 (w) x 80 (d) x 186 (h) | 116 (w) x 82 (d) x 189 (h) | 153 (w) x 159 (d) x 68 (h) | |
| Operating system support | Windows Vista 7/8/8.1/10 | | | | | | Windows 7/8/8.1/10 | Windows 7/8/8.1/10 Windows Server 2008 / 2008 R2 / 2012 / 2012 R2 / 2016 |
| Mobile OS | Android | | Android/iOS | | | | Android/iOS | Android/iOS |
| Supported commands | P-touch Template, ESC/P, Raster, ZPL II emulation, CPCL emulation | | | | | | | |

*Print speed stated can only be achieved when used with battery.

# RJ series optional accessories

## Customise your solution

Brother has designed and engineered a wide range of accessories to help customise the solution to meet your specific requirement. Brother accessories help users to equip their device in vehicle or on body, and cope with power and battery demands for extended use.

## Power

### PA-BT-003

**Li-ion rechargeable battery**

RJ-2030, RJ-2050
RJ-2140, RJ-2150

### PA-BT-001A
### PA-BT-001B

**Li-ion rechargeable battery**

RJ-3050, RJ-3150

**A** **B**

### PA-BT-006

**Rechargeable Li-ion smart battery**

RJ-4230B, RJ-4250WB

### PA-CD-600UK

**AC adapter**

**Complete RJ series**

### PA-CD-600CG

**Car adapter (cigarette)**

**Complete RJ series**

### PA-CD-600WR

**Car adapter (wired)**

**Complete RJ series**

## Additional options

### PA-BC-002

**Battery charging unit (wall mountable)**

RJ-2030, RJ-2050
RJ-2140, RJ-2150

### PA-BC-001

**Battery charging unit**

RJ-3050, RJ-3150

### PA-BC-003

**Single battery charger**

RJ-4230B,
RJ-4250WB

### PA-CR-001

**Charging cradle**

RJ-3050, RJ-3150

### PA-CR-002A

**Car mount / charging cradle**

RJ-4230B,
RJ-4250WB

### PA-LPR-001

**Linerless platen roller**

RJ-4230B,
RJ-4250WB

### PA-SS-4000

**Shoulder strap**

**Complete RJ series**

## Media options

### RD-R03E5

**Continuous receipt roll**

**Size:**
58mm x 12m
**Colour:** white

**RJ-2000 and RJ-4200 series**

### RD-Q04E1

**Die-cut labels roll**

**Label size:**
51mm x 26mm
**Colour:** white
**Quantity:**
450 per roll

**RJ-2140, RJ-2150 and RJ-4200 series**

### RD-P08E5

**Continuous receipt roll**

**Width:**
76mm x 35.3m
**Colour:** white

**RJ-3000 and RJ-4200 series**

### RD-P09E1

**Die-cut labels roll**

**Label size:**
76mm x 44mm
**Colour:** white
**Quantity:**
335 per roll

**RJ-3150 and RJ-4200 series**

### RD-M01E5

**Continuous receipt roll**

**Width:**
102mm x 27.5m
**Colour:** white

**RJ-4200 series only**

### RD-M03E1

**Die-cut labels roll**

**Width:**
102mm x 152mm
**Colour:** white
**Quantity:**
70 per roll

**RJ-4200 series only**

# PJ-700 series

The smallest, most advanced A4 portable direct thermal printer on the market with all-inclusive mobile device support. Brother stock a range of carry case and in-vehicle solutions to help streamline paramedics' workflows.

**Reliable direct thermal printing**
Means no moving parts, ink spillages or issues associated with fast moving ambulances and extreme temperatures.

**Lightweight and portable**
Paramedics and home healthcare workers can print A4 documents, on the move.

**Easy to use**
With no ink or toner to change, its hassle free and easy to manage.

**Compatibility**
Works with a wide range of host devices and healthcare systems.

**Customisable**
Brother provide a range of in-vehicle solutions so the device can be mounted in the ambulance or in a carry case.

**Easy to integrate**
Simple to integrate with existing systems using Brother's free software development kits (SDK). www.brother.eu/developer

# PJ-700 Brief summary

| | PJ-722 | PJ-723 | PJ-762 | PJ-763 | PJ-763MFI | PJ-773 |
|---|---|---|---|---|---|---|
| | A4/A5 full page | | | | | |
| **Printing** | | | | | | |
| Print technology | Direct thermal | | | | | |
| Print speed | Up to 8 pages per minute | | | | | |
| Resolution | 203dpi | 300dpi | 203dpi | 300dpi | 300dpi | |
| Max. print width(s) | 204.2mm | 208.8mm | 204.2mm | 208.8mm | | |
| **Connectivity** | | | | | | |
| USB | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Wireless LAN | | | | | | ✔ |
| Bluetooth | | | ✔ | ✔ | ✔ | |
| AirPrint | | | | | | ✔ |
| MFi | | | | | ✔ | |
| **General** | | | | | | |
| Dimensions in mm | 255 (w) x 55 (d) x 30 (h) | | | | | |
| Weight (exc. battery) | 480g (approx) | | | | | |
| Battery (optional) | Rechargeable Li-ion Battery 10.8V | | | | | |
| AC adapter (optional) | AC adapter 15V | | | | | |
| Car adapter (optional) | Cigarette lighter plug or permanently wired | | | | | |
| Operating system Support | Windows Vista 7/8/8.1/10, Windows Server 2008/2008R2, Windows Server 2012/2012R2, Mac OSX v 10.8/10.9/10/10, Linux | | | | | |
| Mobile OS | Android - USB | | Android | | Android/iOS | |
| Supported commands | P-touch template, raster, Brother ESC/P | | | | | |

*Approx. 600 sheets per full battery charge.

# PJ-700 Series optional accessories

## Power

### PA-BT-002

**Li-ion rechargeable battery**

### PA-AD-600UK

**AC adapter**

### PA-CD-600CG

**12V car adapter (cigarette socket)**

### PA-CD-600WR

**12V car adapter (permanently wired)**

## Additional options

### PA-RH-600

**Paper roll holder**

### PA-RB-001

**Protective rubber case**

### PA-RC-001

**Paper roll case**

### PA-CC-500

**Carry case**

### PA-CM-500

**Car mounting kit**

## Media options

### PA-R-411

**A4 thermal paper roll**

**Size:** A4
**Colour:** white
**Amount:** Equivalent to 100 A4 sheets (approx.)

### PA-C-411

**A4 thermal paper**

**Label size:** A4
**Colour:** white
**Amount:** 100 sheets


Amoxicillin 250mg/5ml SUSP.
Take ONE 5ml spoonful
three times a day
SPACE THE DOSES EVENLY KEEP TAKING UNTIL THE COURSE
IS FINISHED, UNLESS YOU ARE TOLD TO STOP
Mrs T D Brother
05/02/19

brother

at your side

Contact:

**enduserteam@brother-uk.com**

**James Beadle**
Email: James.Beadle@brother-uk.com
Mobile: 07900 675934

**brother.co.uk/healthcare**

CD3182

**Brother UK Ltd**
Shepley Street, Audenshaw,
Manchester, M34 5JD
Tel: +44 (0) 333 777 4444

All specifications correct at the time of printing (August 2019) and are subject to change. Brother is a registered trademark of Brother Industries Ltd.
Brand product names are registered trademarks or trademarks of their respective companies. Our printing partner is certified to FSC standards.